## AMENDMENTS TO THE CLAIMS

Applicant submits below a complete listing of the current claims, including marked-up claims with insertions indicated by underlining and deletions indicated by strikeouts or double bracketing. This listing of claims replaces all prior versions, and listings, of claims in the application:

## Listing of the Claims

1. (Currently Amended) A computing system supporting network selection based upon network information spanning multiple communication media, the system comprising:

a rules data store for maintaining network selection criteria acquired from a plurality of sources;

a media specific module interface facilitating acquiring for providing accumulated network interface information potentially spanning multiple communication media, the accumulated network interface information being associated with a set of networks to which the computing system is capable of connecting via and a set of network interfaces, each network interface for connecting the computing system to a network in the set of networks; and

network selection logie <u>a rules engine</u> for designating one of the set of networks by applying a network selection criterion from the rules data store to the accumulated network interface information potentially spanning multiple media.

- 2. (Currently Amended) The computing system of claim 1 wherein the network selection logic comprises a rules engine having has access to the rules data store.
- 3. (Previously Presented) The computing system of claim 2 wherein the media specific module interface comprises a normalization module that standardizes communication requests it receives from the rules engine directed to network interfaces.

Docket No.: M1103.70193US00

4. (Currently amended) The computing system of claim [[1]] 3 further comprising a plurality of media specific modules configured to acquire network interface information pertaining to network interfaces associated with particular media types, and to receive network interface configuration commands, from the rules engine, to connect to one of the set of networks.

- 5. (Original) The computing system of claim 4 wherein the media specific modules acquire network interface information from media specific drivers associated with particular network interfaces.
- 6. (Canceled)
- 7. (Canceled)
- 8. (Original) The computing system of claim 1 wherein the network selection criterion specifies a preference order between at least two media based upon a network parameter associated with the media.
- 9. (Original) The computing system of claim 1 wherein the network selection criterion specifies a preference order between at least two media based upon a network type associated with the media.
- 10. (Original) The computing system of claim 1 wherein the network selection criterion specifies a preference order based upon a current location of the computing system.
- 11. (Original) The computing system of claim 1 wherein the network selection criterion specifies a preference order between logical networks.
- 12. (Previously Presented) The computing system of claim 1 wherein the network selection criterion specifies a preference order based upon a network time of use parameter.

13. (Currently Amended) The computing system of claim 1 wherein the network selection logic rules engine is incorporated into a state machine that cyclically scans a set of network interfaces for networks, applies the network selection criterion to a set of networks and interfaces to render a current network and interface selection, and issues configuration instructions in accordance with the current network and interface selection.

- 14. (Previously Presented) The computing system of claim 1 further comprising a scanning engine associated with a network interface for controlling the timing of scanning based upon previous scan results maintained in a scanning history.
- 15. (Currently amended) A method for selecting a network and interface combination, to which a computing system will initiate a connection via the network interface, based upon network information spanning multiple communication media, the method comprising:

accessing [[a]] network selection <u>criterion</u> <u>criteria</u> acquired from a plurality of sources <u>including at least one of a group policy service and a provisioning service</u>;

accumulating network interface information potentially spanning multiple communication media associated with a set of networks to which the computing system is eapable of connecting via and a set of network interfaces, each network interface for connecting the computing system to a network in the set of networks; and

designating one of the set of networks and a network interface from the set of network interfaces by applying a network selection criterion to the network interface information potentially spanning multiple media.

- 16. (Original) The method of claim 15 wherein the network selection criterion is accessed from a configurable rules data store.
- 17. (Original) The method of claim 15 further comprising issuing network interface configuration instructions in accordance with the designating step.
- 18. (Previously Presented) The method of claim 15 wherein the accumulating step is facilitated by a normalization module that standardizes communication between a set of media

specific modules associated with potentially multiple distinct types of communication media drivers and a rules engine that performs the designating step.

- 19. (Original) The method of claim 18 further comprising acquiring, by the media specific modules, network interface information from the communication media drivers associated with particular network interfaces.
- 20. (Canceled)
- 21. (Original) The method of claim 15 wherein the network selection criterion specifies a preference order between at least two media based upon a network parameter associated with the media.
- 22. (Original) The method of claim 15 wherein the network selection criterion specifies a preference order between at least two media based upon a network type associated with the media.
- 23. (Original) The method of claim 15 wherein the network selection criterion specifies a preference order based upon a current location of the computing system.
- 24. (Original) The method of claim 15 wherein the network selection criterion specifies a preference order between logical networks.
- 25. (Previously Presented) The method of claim 15 wherein the network selection criterion specifies a preference order based upon a network time of use parameter.
- 26. (Currently amended) The method of claim 15 wherein the network selection logic is incorporated into a state machine, and further comprising the designating comprises evaluating in a rules engine at least one of the network selection criteria based on the accumulated network interface information, and the method further comprises cyclically performing, under the control of [[the]] a state machine: scanning a set of network interfaces for networks; applying, with the

After Final Office Action of November 27, 2007

Docket No.: M1103.70193US00

<u>rules engine</u>, the network selection criterion to a set of networks and interfaces to render a current network and interface selection; and issuing configuration instructions in accordance with the current network and interface selection.

- 27. (Original) The method of claim 15 further comprising initiating network scanning for a designated one or more of the set of network interfaces based at least in part upon a scanning algorithm and previous scan results maintained in a scanning history.
- 28. (Currently amended) A computer-readable medium including computer-executable instructions for facilitating selecting a network and interface combination, to which a computing system will initiate a connection via the network interface, based upon network information spanning multiple communication media, the computer-executable instructions facilitating:

accessing [[a]] network selection <u>criterion</u> <u>criteria</u> acquired from a plurality of sources; accumulating network interface information potentially spanning multiple communication media associated with a set of networks to which the computing system is <u>capable of connecting via and</u> a set of network interfaces, <u>each network interface for connecting</u> the computing system to a network in the set of networks; and

designating one of the set of networks and a network interface from the set of network interfaces by applying a network selection criterion to the network interface information potentially spanning multiple media.

- 29. (Original) The computer-readable medium of claim 28 wherein the network selection criterion is accessed from a configurable rules data store.
- 30. (Original) The computer-readable medium of claim 28 wherein the computer-executable instructions further facilitate issuing network interface configuration instructions in accordance with the designating step.

Docket No.: M1103.70193US00

- 31. (Previously Presented) The computer-readable medium of claim 28 wherein the accumulating step is facilitated by a normalization module that standardizes communication between a set of media specific modules associated with potentially multiple distinct types of communication media drivers and a rules engine that performs the designating step.
- 32. (Original) The computer-readable medium of claim 31 further comprising computer-executable instructions for acquiring, by the media specific modules, network interface information from the communication media drivers associated with particular network interfaces.
- 33. (Canceled)
- 34. (Original) The computer-readable medium of claim 28 wherein the network selection criterion specifies a preference order between at least two media based upon a network parameter associated with the media.
- 35. (Original) The computer-readable medium of claim 28 wherein the network selection criterion specifies a preference order between at least two media based upon a network type associated with the media.
- 36. (Original) The computer-readable medium of claim 28 wherein the network selection criterion specifies a preference order based upon a current location of the computing system.
- 37. (Original) The computer-readable medium of claim 28 wherein the network selection criterion specifies a preference order between logical networks.
- 38. (Previously Presented) The computer-readable medium of claim 28 wherein the network selection criterion specifies a preference order based upon a network time of use parameter.
- 39. (Currently amended) The computer-readable medium of claim 28 wherein the network selection logic is incorporated into a state machine the computer-executable instructions comprises a rules engine for evaluating at least one of the network selection criteria based on the

<u>accumulated network interface information</u>, and further comprising computer-executable instructions for cyclically performing, under the control of [[the]] <u>a</u> state machine: scanning a set of network interfaces for networks; applying, with the rules engine, the network selection criterion to a set of networks and interfaces to render a current network and interface selection; and issuing configuration instructions in accordance with the current network and interface selection.

- 40. (Original) The computer-readable medium of claim 28 further comprising computer-executable instructions for initiating network scanning for a designated one or more of the set of network interfaces based at least in part upon a scanning algorithm and previous scan results maintained in a scanning history.
- 41. (Previously presented) The computing system of claim 1 wherein the plurality of sources of the network selection criteria comprise a user interface and a group policy service.
- 42. (Previously Presented) The computing system of claim 41 wherein the sources network selection criteria are acquired from include a provisioning service.
- 43. (Canceled)
- 44. (Previously Presented) The method of claim 28 wherein the plurality of sources of the network selection criteria are acquired from include a provisioning service.